

KECK MICROARRAY RESOURCE SAMPLE SUBMISSION FORM

SHIPPING ADDRESS: KECK MICROARRAY FACILITY, 300 GEORGE STREET, SUITE 2117, NEW HAVEN, CT 06511
 203-785-7869 (LAB) 203-785-5209 (IRINA) 203-785-2674 (SHEILA) 203-785-7919 (FAX)

NAME	DATE
NEW USER? <input type="checkbox"/> YES <input type="checkbox"/> NO- YMD USER CODE:	E-MAIL ADDRESS (ONE ONLY) TO SEND DATA
P.I.	SHIPPING ADDRESS
DEPARTMENT	
INSTITUTION	BILLING ADDRESS
TELEPHONE #	

YALE PTAE0 / PURCHASE ORDER #

NINDS? PROJECT TITLE (REQUIRED FOR ALL NINDS PROJECTS):

SAMPLE TYPE	SERVICE REQUESTED	PLATFORM
<input type="checkbox"/> TOTAL RNA <input type="checkbox"/> LABELED CRNA <input type="checkbox"/> GENOMIC DNA <input type="checkbox"/> HYB MIX	<input type="checkbox"/> FULL SERVICE GENE EXPRESSION PROFILING <input type="checkbox"/> FULL SERVICE SNP GENOTYPING* <input type="checkbox"/> HIGH RESOLUTION SEQUENCING <input type="checkbox"/> HYBRIDIZATION ONLY <input type="checkbox"/> MICRORNA EXPRESSION PROFILING <input type="checkbox"/> SAMPLE QC (SPECTROPHOTOMETRY & BIOANALYZER) <input type="checkbox"/> RT-PCR OR SNP PLATE RUN (CIRCLE ONE) <input type="checkbox"/> OTHER:	<input type="checkbox"/> ABI 7900 HT <input type="checkbox"/> AFFYMETRIX <input type="checkbox"/> EXIQON <input type="checkbox"/> ILLUMINA <input type="checkbox"/> NIMBLEGEN <input type="checkbox"/> SEQUENOM <input type="checkbox"/> SOLEXA <input type="checkbox"/> SPOTTED ARRAY

SAMPLE QUANTITY	MICROARRAY NAME (SPECIES AND VERSION #)	PROVIDED BY: <input type="checkbox"/> USER <input type="checkbox"/> FACILITY	QTY. REC.:
-----------------	---	--	------------

SAMPLE OR PLATE NAME	CONC.	SAMPLE OR PLATE NAME	CONC.	SAMPLE OR PLATE NAME	CONC.
1		5		9	
2		6		10	
3		7		11	
4		8		12	

*THE FACILITY IS NOT RESPONSIBLE FOR **Genotyping** SAMPLES THAT FAIL DUE TO INADEQUATE CONCENTRATION OR QUALITY. WE ASSUME ALL SAMPLES SUBMITTED TO US HAVE MET ADVISED RECOMMENDATIONS FOR PROCESSING.

- HIC APPROVED PROJECT?
- ALL SAMPLES MAY BE DISCARDED IF NOT RETRIEVED WITHIN 60 DAYS OF DATA POSTING.
- SOFTWARE TUTORIAL REQUESTED. NORMALIZATION METHOD REQUESTED:
- SAMPLES TERMINATED DUE TO POOR QC WILL STILL BE SUBJECT TO APPROPRIATE SERVICE CHARGES.

NOTES:
